

Class	Botanical Name	Common Name	Local Native*	Wildlife Use
Tree	<i>Aesculus californica</i>	Buckeye	Local Native	Attracts spring azure and echo blue butterflies. Woodpeckers and nuthatches peck insects from the bark. Hummingbirds are attracted to the flowers.
Tree	<i>Quercus agrifolia</i>	Coast Live Oak	Local Native	Birds eat acorns and leaf galls, and make nests. Attracts quail, nuthatches, titmice, bushtits, and woodpeckers. Also attracts California, Lorquin's, and canyon oak hairstreaks, and California sister, mournful and duskywing, and echo blue butterflies.
Shrubs	<i>Arctostaphylos crustacea</i>	Brittleleaf Manzanita		Attracts leaf cutter and bumble bees; monarch, painted lady, and tortoiseshell butterflies, many moths; and black headed grosbeaks, mockingbirds, fox sparrows, cedar waxwings, Anna's and Allen's hummingbirds.
Shrubs	<i>Arctostaphylos</i>	Dr. Hurd Manzanita		Attracts leaf cutter and bumble bees; monarch, painted lady, and tortoiseshell butterflies, many moths; and black headed grosbeaks, mockingbirds, fox sparrows, cedar waxwings, Anna's and Allen's hummingbirds.
Shrubs	<i>Artemisia californica</i>	Coast Sagebrush	Local Native	Attracts California quail and rufous-crowned sparrows.
Shrubs	<i>Ceanothus hearstiorum</i>	Ceanothus		Attracts bumble and sweat bees; Hairstreak, echo blue, southern buckthorn, western brown elfin, spring azure, pale swallowtail, buckeye, duskywing, and California tortoiseshell butterflies. Quail, bushtits, and finches eat the seeds.
Shrubs	<i>Cercocarpus betuloides</i>	Mountain Mahogany		
Shrubs	<i>Cornus sericea var. sericea</i>	Creek Dogwood	Local Native	Attracts various pollinators; seeds are eaten on the tree and on the ground by various birds, chipmunks, squirrels.
Shrubs	<i>Corylus cornuta californica</i>	Western Hazelnut	Local Native	Nuts eaten by squirrels and jays.
Shrubs	<i>Eriogonum fasciculatum</i>	Common Buckwheat		Attracts leaf cutter, mason and honey bees; acorn blue, mournful dusky-wing, tailed copper, and green hairstreak butterflies; and finches, juncos, and towhees.
Shrubs	<i>Hemizonia luzifoliz congesta</i>	White Tarweed	Local Native	Nectar attracts native bees, moths.
Shrubs	<i>Holodiscus discolor</i>	Ocean Spray/Creambush	Local Native	Attracts Lorquin's admiral, pale swallowtail, and spring azure butterflies.
Shrubs	<i>Lupinus albilfrons</i>	Bush Lupine	Local Native	Attracts icarioides blue butterflies.
Shrubs	<i>Mimulus aurantiacus</i>	Sticky Monkeyflower	Local Native	Attracts Allen's and Anna's hummingbirds, and buckeye, chalcidon checkerspot, common checkerspot, and buckeye butterflies.
Shrubs	<i>Mimulus bifidus 'Junipera Serra'</i>	Junipera Serra Monkeyflower		Attracts Allen's and Anna's hummingbirds.
Shrubs	<i>Philadelphus lewisii</i>	Western Mock Orange		Seeds eaten by grosbeaks, juncos, thrushes, bluebirds, chickadees, finches, bluebirds, quail, grouse; swallowtail, common wood nymph harvest nectar.
Shrubs	<i>Physocarpus capitatus</i>	Ninebark	Local Native	
Shrubs	<i>Rhamnus californica</i>	Coffeeberry	Local Native	Attracts echo blue butterflies.
Shrubs	<i>Ribes sanguineum glutinosum</i>	Pink Currant	Local Native	Flowers attract hummingbirds.
Shrubs	<i>Rosa californica</i>	California Rose	Local Native	Attracts mourning cloak butterflies; California thrashers, towhees, goldfinches, and quail.
Shrubs	<i>Rosa gymnocarpa</i>	Wood Rose	Local Native	Flowers attract bumblebees, syrphids, honeybees, native solitary bees; hips eaten by bluebirds, juncos, grosbeaks, quail, thrushes; used as cover by many birds and mammals, mourning cloak butterfly eats leaves, leaf cutter bees use leaves for larval nesting material.
Shrubs	<i>Rubus parviflorus</i>	Thimbleberry	Local Native	Fruit attracts wren-tits, waxwings, and robins.
Shrubs	<i>Symphoricarpos albus</i>	Snowberry	Local Native	Attracts common checkerspot butterflies and hummingbirds. berries are eaten by evening grosbeaks, swainson's and hermit thrush, warbling vireos, cedar waxwings, wren tits, and robins.
Herbaceous Perennials	<i>Achillea millefolium</i>	White Yarrow	Local Native	Attracts painted lady, hairstreak, and chalcidon checkerspot butterflies and sweat bees.
Herbaceous Perennials	<i>Achillea millefolium rosaea</i>	Pink Yarrow		
Herbaceous Perennials	<i>Aquilegia formosa</i>	Western Columbine	Local Native	Attracts hummingbirds.
Herbaceous Perennials	<i>Aralia californica</i>	Elk Clover		Nectar attracts native bees.
Herbaceous Perennials	<i>Armeria maritima</i>	Sea Pink		Nectar attracts painted lady butterflies.
Herbaceous Perennials	<i>Asarum caudatum</i>	Wild Ginger		Used by California valley quail for nesting.
Herbaceous Perennials	<i>Asclepias fascicularis</i>	Narrowleaf Milkweed	Local Native	Attracts monarch, acorn blue, west coast lady, red admiral and western tiger swallow butterflies and milkweed bugs. Hooded orioles use the stems to construct nests.
Herbaceous Perennials	<i>Aster chilensis</i>	Chilean Aster	Local Native	Attracts mylitta, northern pearl, field crescent, west coast lady, and northern checkerspot butterflies; skippers; and lesser and Lawrence's goldfinches. Sparrows eat the seeds.
Herbaceous Perennials	<i>Cheilanthes covillei</i>	Coville's Lipfern		
Herbaceous Perennials	<i>Chlorogalum pomeridianum</i>	Soap Root	Local Native	Attracts western brown elfin butterflies. Nectar attracts bumblebees, moths.
Herbaceous Perennials	<i>Dicentra formosa</i>	Western Bleeding Heart	Local Native	Attracts clodius parnassian butterflies and hummingbirds.
Herbaceous Perennials	<i>Elymus glaucus</i>	Western Rye Grass	Local Native	Seeds eaten by quail; grass eaten by deer and used as nesting material for native rodents (voles, gophers, deer mice).
Herbaceous Perennials	<i>Epilobium canum</i>	California Fuchsia	Local Native	Attracts Anna's and Allen's hummingbirds.
Herbaceous Perennials	<i>Eriogonum glaucus</i>	Beach Aster		Attracts small carpenter, leaf cutter, mason, honey and sweat bees, and west coast lady, California dog-face, checkerspot, painted lady, skippers, gray hairstreak, mournful duskywing, and mylitta crescent butterflies.
Herbaceous Perennials	<i>Eriogonum nudum</i>	Naked Buckwheat	Local Native	Attracts bumble and honey bees, and dotted blue butterflies. quail eat the leaves, house finches, dark-eyed juncos, bell sparrows, and towhees eat the seeds.
Herbaceous Perennials	<i>Eriogonum grande rubescens</i>	Rosy Buckwheat		Attracts leaf cutter, sweat, and mason bees, and acorn blue, gorgon copper, purplish copper, and green hairstreak butterflies.
Herbaceous Perennials	<i>Festuca californica</i>	California Fescue	Local Native	Seeds eaten by quail; grass eaten by deer and used as nesting material for native rodents (voles, gophers, deer mice); grass used as food for various skipper butterfly larva; bunches used as cover by western fence lizards.
Herbaceous Perennials	<i>Festuca rubra 'Molate'</i>	Red Fescue	Local Native	Seeds eaten by quail; grass eaten by deer and used as nesting material for native rodents (voles, gophers, deer mice); grass used as food for Dodge's skipper butterfly larva.
Herbaceous Perennials	<i>Fragaria californica</i>	California Strawberry	Local Native	Quail eat the leaves. fruits are eaten by robins, quail, lesser and lawrence's goldfinches, black headed grosbeaks, California thrashers, towhee's, cedar waxwings, and other birds.
Herbaceous Perennials	<i>Fragaria virginiana 'Sagehen'</i>	Sagehen Strawberry		Nectar attracts bees; fruits eaten by various songbirds, native rodents.
Herbaceous Perennials	<i>Heracleum lanatum</i>	Cow Parsnip	Local Native	Attracts anise swallowtail butterflies.
Herbaceous Perennials	<i>Heuchera maxima</i>	Alum Root	Local Native	Attracts Allen's and Anna's hummingbirds.
Herbaceous Perennials	<i>Heuchera micrantha</i>	Alum Root		
Herbaceous Perennials	<i>Iris douglasiana</i>	Douglas Iris	Local Native	Nectar attracts hummingbirds; seeds eaten by squirrels, quail, and numerous other seeds eating birds.

Class	Botanical Name	Common Name	Local Native*	Wildlife Use
Herbaceous Perennials	<i>Melica californica</i>	California Melic Grass	Local Native	Seeds eaten by quail; grass eaten by deer and used as nesting material for native voles. Attracts California ringlet, and Columbian, rural, fiery, Sachem, umber, and woodland skippers.
Herbaceous Perennials	<i>Muhlenbergia rigens</i>	Deergrass		Seeds eaten by quail; grass eaten by deer and used as nesting material for native rodents (voles, gophers, deer mice).
Herbaceous Perennials	<i>Nassella pulchra</i>	Purple Needlegrass	Local Native	Seeds eaten by quail; grass eaten by deer and used as nesting material for native rodents (voles, gophers, deer mice); larval food plant of California ringlet and juba skipper butterflies.
Herbaceous Perennials	<i>Oxalis oregana</i>	Redwood Sorrel		
Herbaceous Perennials	<i>Penstemon heterophyllus</i>	Foothill Penstemon		Attracts bumble, sweat, digger, leaf cutter and mason bees; checkerspot butterflies; and hummingbirds.
Herbaceous Perennials	<i>Penstemon 'Blue Springs'</i>	Penstemon		
Herbaceous Perennials	<i>Perideridia kelloggii</i>	Kellogg's Yampah	Local Native	Host plant for anise swallowtail butterfly.
Herbaceous Perennials	<i>Phacelia californica</i>	California Coast Phacelia		Attracts bumble, mason, and mining bees.
Herbaceous Perennials	<i>Polypodium californicum</i>	California Polypody	Local Native	
Herbaceous Perennials	<i>Polypodium californica 'Sarah Lyman'</i>	Sarah Lyman Polypody Fern		
Herbaceous Perennials	<i>Polystichum munitum</i>	Western Sword Fern	Local Native	Attracts monarch, pale swallowtail, common sulphur, and silvery blue butterflies.
Herbaceous Perennials	<i>Salvia clevelandii</i>	Cleveland Sage		Attracts hummingbirds, wren-tits, bushtits, and sparrows.
Herbaceous Perennials	<i>Salvia spathacea</i>	Hummingbird Sage		Attracts Anna's and Allen's humming birds.
Herbaceous Perennials	<i>Satureja douglasii</i>	Yerba Buena	Local Native	Nectar attracts native bees.
Herbaceous Perennials	<i>Sedum spathulifolium</i>	Stonecrop		Attracts painted lady, Moss' hairstreak, Emmel's elfin, and red admiral butterflies.
Herbaceous Perennials	<i>Scrophularia californica</i>	Bee Plant	Local Native	Attracts bees, common and bay checkerspot, and buckeye butterflies, and Anna's and Allen's hummingbirds.
Herbaceous Perennials	<i>Sidalcea malviflora</i>	Checkerbloom	Local Native	Attracts common checkered and large white skippers, and west coast lady butterflies.
Herbaceous Perennials	<i>Sisyrinchium bellum</i>	Blue-Eyed Grass	Local Native	Nectar attracts native bees.
Herbaceous Perennials	<i>Smilacina stellata</i>	False Solomon's Seal		Fruit eaten by band-tailed pigeons, thrushes and small native mammals.
Herbaceous Perennials	<i>Solidago californica</i>	California Goldenrod	Local Native	Attracts leaf cutter, mason, sweat and honeybees.
Herbaceous Perennials	<i>Stachys ajugoides</i>	Hedge Nettle	Local Native	Attracts bees and Anna's and Allen's hummingbirds.
Herbaceous Perennials	<i>Tellima grandiflora</i>	Fringe Cups		Nectar attracts native bees.
Herbaceous Perennials	<i>Whipplea modesta</i>	Western Modesty		
Herbaceous Perennials	<i>Wyethia angustifolia</i>	Narrowleaf Mules Ears	Local Native	Attracts painted lady butterflies and seed-eating birds.
Herbaceous Perennials	<i>Verbena lilacina</i>	Purple Cedros Island Verbena		
Native Grass Lawn	<i>Agrostis pallens</i>	Bent Grass		Seeds eaten by quail; grass eaten by deer and used as nesting material for native rodents (voles, deer mice).
Vines	<i>Clematis ligusticifolia</i>	Virgin's Bower		Thickets used as cover for many bird species, small mammals; nectar attracts native bees.
Vines	<i>Lonicera hispidula</i>	California Honeysuckle	Local Native	Attracts common checkerspot butterflies, and Anna's and Allen's hummingbirds, California towhees, thrashers, and western bluebirds.
Vines	<i>Vitis californica 'Roger's Red'</i>	California Grape 'Roger's Red'		Attracts band-tailed pigeon, hermit thrush, mockingbirds, and waxwing; fruits eaten by gray fox, coyote; vine used as nesting sites for various songbirds.
Succulent	<i>Sedum oregonum</i>	Green Stonecrop		
Succulent	<i>Dudleya farinosa</i>	Bluff Lettuce		
Succulent	<i>Sedum spathulifolium</i>	Broadleaf Stonecrop		
Annuals & Biennels	<i>Collinsia heterophylla</i>	Chinese Houses	Local Native	Attracts bumblebees.
Annuals & Biennels	<i>Clarkia unguiculata</i>	Elegant Clarkia	Local Native	Attracts bumblebees, mason bees, and honeybees.
Annuals & Biennels	<i>Eschscholzia californica</i>	Poppies	Local Native	Attracts bumblebees, sweatbees, and honeybees, and quail.
Annuals & Biennels	<i>Gilia capitata</i>	Globe Gilia		Attracts bumblebees, honeybees, and mining bees.
Annuals & Biennels	<i>Gilia capitata</i>	Globe Gilia		Attracts bumblebees, honeybees, and mining bees.
Annuals & Biennels	<i>Ranunculus californicus</i>	Buttercups	Local Native	
Bog	<i>Bidens laevis</i>	Bur Marigold		Attracts mormon metalmark, monarch, blue, and hairstreak butterflies.
Bog	<i>Carex pansa</i>	Dwarf Sedge		Seeds eaten by waterfowl, finches, sparrows, quail, towhees, juncos; leaves used as nesting material; stems and underwater leaves used as egg laying sites for frogs and salamanders. Attracts umber and Hartison's skippers.
Bog	<i>Carex divulsa</i>	Berkeley Sedge		Seeds eaten by waterfowl, finches, sparrows, quail, towhees, juncos; swans and geese eat new growth; leaves used as nesting material; stems and underwater leaves used as egg laying sites for frogs and salamanders.
Bog	<i>Darmera peltata</i>	Indian Rhubarb/Umbrella Plant		Nectar attracts native bees.
Bog	<i>Juncus effusus bruneus</i>	Green Rush		Seeds eaten by waterfowl, finches, sparrows, quail, towhees, juncos; swans and geese eat new growth; leaves used as nesting material; stems and underwater leaves used as egg laying sites for frogs and salamanders.
Bog	<i>Juncus patens</i>	Common Rush	Local Native	Seeds eaten by waterfowl, grouse, finches, sparrows, pheasants, quail, towhees, juncos; swans and geese eat new growth; old and nes leaves used as nesting material; stems and underwater leaves used as egg laying sites for frogs and salamanders.
Bog	<i>Juncus xiphioides</i>	Iris Leafed Rush	Local Native	Seeds eaten by waterfowl, grouse, finches, sparrows, pheasants, quail, towhees, juncos; swans and geese eat new growth; old and nes leaves used as nesting material; stems and underwater leaves used as egg laying sites for frogs and salamanders.
Bog	<i>Mimulus cardenalis</i>	Scarlet Monkeyflower	Local Native	Attracts buckeye butterflies and hummingbirds.
Bog	<i>Mimulus guttatus</i>	Seep Monkeyflower		Attracts buckeye and field crescent butterflies.
Bog	<i>Potentilla anserina</i>	Silverweed		
Bog	<i>Rorripia nasturtium aquaticum</i>	Watercress		
Bog	<i>Scirpus californicus</i>	Bulrush	Local Native	Seeds eaten by waterfowl, song sparrow; eaten by geese; used as egg laying sites for frogs and salamanders; stems used as nesting structure for marsh wren, red-winged blackbirds; stands used as cover by, rails, grebes, night herons, egrets.
Bog	<i>Sisyrinchium californicum</i>	Yellow-Eyed Grass		
Bog	<i>Typha angustifolia</i>	Narrowleaf Cattail		Roots eaten by geese; stalks used as nesting structure for marsh wren, red-winged blackbird, yellow-headed blackbirds; stands used as cover by waterfowl, night heron, egrets, rails, coots, grebes.

Kramer-May Garden Plant List—2012

Class	Botanical Name	Common Name	Local Native*	Wildlife Use
Bog	<i>Typha angustifolia</i>	Narrowleaf Cattail		Roots eaten by geese; stalks used as nesting structure for marsh wren, red-winged blackbird, yellow-headed blackbirds; stands used as cover by waterfowl, night heron, egrets, rails, coots, grebes.
Bog	<i>Typha latifolia</i>	Broadleaf Cattail	Local Native	
Bog	<i>Veronica americana</i>	American Brooklime		
Non-native fruit trees		Trovita Orange		Nectar attracts native bees and honeybees.
Non-native fruit trees		Page mandarin		Nectar attracts native bees and honeybees.
Non-native fruit trees		Lemon		Nectar attracts native bees and honeybees.
Non-native fruit trees		Bearss lime		Nectar attracts native bees and honeybees.
Non-native fruit trees		Pomegranete		Nectar attracts native bees and honeybees.
Non-native fruit trees		Santa Rosa plum		Nectar attracts native bees and honeybees; fruits are eaten by gray fox, deer, squirrels, jays, and thrushes.
Non-native fruit trees		Satsuma plum		Nectar attracts native bees and honeybees; fruits are eaten by gray fox, deer, squirrels, jays, and thrushes.
Non-native fruit trees		Violette de Bordeaux fig		Nectar attracts native bees and honeybees; fruits are eaten by gray fox, deer, squirrels, jays, and thrushes.
Non-native fruit trees		Comice pear		Nectar attracts native bees and honeybees; fruits are eaten by gray fox, deer, squirrels, jays, and thrushes.
Non-native fruit trees		Fuyu persimmon		Nectar attracts native bees and honeybees.
Non-native fruit trees		Fuji apple		Nectar attracts native bees and honeybees; fruits are eaten by gray fox, deer, squirrels, jays, and thrushes.
Non-native fruit trees		Strawberry quava		Nectar attracts native bees and honeybees.
Non-native fruit vine	<i>Edible passionfruit - Fredrick</i>	Passiflora Edulis 'Fredrick'		Nectar attracts native bees and honeybees.
Other edibles		Raspberries		Nectar attracts native bees and honeybees; berries are eaten by various songbirds, and small mammals.
Other edibles		Marionberries		Nectar attracts native bees and honeybees; berries are eaten by various songbirds, and small mammals.
Other edibles		Strawberries		Nectar attracts native bees and honeybees; berries are eaten by various songbirds, and small mammals.
Other edibles		Sierrian strawberries		Nectar attracts native bees and honeybees; berries are eaten by various songbirds, and small mammals.
Other edibles		Thyme		Nectar attracts native bees and honeybees.
Other edibles		Parsley		Nectar attracts native bees and honeybees; leaves are eaten by tiger swallowtail larva.
Other edibles		Sage		Nectar attracts native bees and honeybees. and hummingbirds.
Other edibles		Oregano		Nectar attracts native bees and honeybees.
Other edibles		Basil		Nectar attracts native bees and honeybees.
Other edibles		Rosemary		Nectar attracts native bees and honeybees.