

Non-native ornamentals and the number of native butterflies & moths that will lay eggs on them

All species (woody, herbaceous, tress & shrubs)

| Family as listed by Bonap | genera | common name | herbaceous or woody | Butterflies & moths |
|---------------------------|-----------------------|---|---------------------|---------------------|
| Fabaceae | <i>Acacia</i> | acacia, wattle | w | 8 |
| Acanthaceae | <i>Acanthus</i> | acanthus | h | 0 |
| Iridaceae | <i>Chasmanthe</i> | African cornflag | h | 0 |
| Iridaceae | <i>Ixia</i> | African cornlily | h | 0 |
| Liliaceae | <i>Agapanthus</i> | agapanthus, African-lily | h | 0 |
| Simaroubaceae | <i>Ailanthus</i> | ailanthus, tree of heaven | w | 2 |
| Fabaceae | <i>Medicago</i> | alfalfa, lucerne | h | 64 |
| Amaryllidaceae | <i>Amaryllis</i> | amaryllis | h | 0 |
| Euphorbiaceae | <i>Mercurialis</i> | annual mercury | h | 0 |
| Poaceae | <i>Pseudosasa</i> | arrow bamboo | w | 0 |
| Alismataceae | <i>Sagittaria</i> | arrowhead | h | 1 |
| Brassicaceae | <i>Eruca</i> | arugula, saladrocket, rocketsalad | h | 1 |
| Asparagaceae | <i>Asparagus</i> | asparagus, asparagus fern | h | 21 |
| Rubiaceae | <i>Billardiera</i> | Australian Bluebell | h | 0 |
| Lamiaceae | <i>Melissa</i> | balm | h | 0 |
| Poaceae | <i>Hainardia</i> | barbgrass | h | 0 |
| Brassicaceae | <i>Rapistrum</i> | bastardcabbage | h | 0 |
| Poaceae | <i>Ammophila</i> | beachgrass | h | 0 |
| Zygophyllaceae | <i>Zygophyllum</i> | beancaper | h | 0 |
| Amaranthaceae | <i>Beta</i> | beet, beetroot | h | 36 |
| Solanaceae | <i>Atropa</i> | belledonna | h | 7 |
| Asteraceae | <i>Bellis</i> | bellis, lawndaisy | h | 1 |
| Convolvulaceae | <i>Convolvulus</i> | bindweed, morning glory | h | 5 |
| Asteraceae | <i>Scorzonera</i> | black salsify, vipergrass | h | 1 |
| Polygonaceae | <i>Fallopia</i> | Black-Bindweed, Fleecevine, Japanese knotweed | w | 3 |
| Asclepiadaceae | <i>Araujia</i> | bladderflower | h | 0 |
| Asteraceae | <i>Gaillardia</i> | blanketflower | h | 2 |
| Boraginaceae | <i>Borago</i> | borage | h | 0 |
| Pteridaceae | <i>Pteris</i> | brake fern | h | 1 |
| Malvaceae | <i>Modiola</i> | bristlemallow | h | 1 |
| Asteraceae | <i>Helminthotheca</i> | bristly oxtongue | h | 0 |
| Poaceae | <i>Amelichloa</i> | Broad Kernel Espartillo | h | 0 |
| Fabaceae | <i>Genista</i> | broom, greenweed | w | 3 |
| Fabaceae | <i>Cytisus</i> | broom, scotch broom | w | 10 |
| Brassicaceae | <i>Brassica</i> | brussel sprouts, cabbage, mustard, turnip, rape, kale, broccoli | h | 56 |
| Polygonaceae | <i>Fagopyrum</i> | buckwheat | h | 7 |
| Iridaceae | <i>Watsonia</i> | bugle-lily | h | 0 |
| Boraginaceae | <i>Buglossoides</i> | buglossoides, corn gromwell | h | 0 |
| Asteraceae | <i>Arctium</i> | burdock | h | 12 |
| Poaceae | <i>Cynodon</i> | burmuda grass | h | 13 |
| Asteraceae | <i>Soliva</i> | burrweed | h | 0 |
| Plantaginaceae | <i>Linaria</i> | butter and eggs, toadflax | h | 7 |
| Laxmanniaceae | <i>Cordyline</i> | cabbage tree | w | 0 |
| Araceae | <i>Zantedeschia</i> | calla lily | h | 3 |
| Lauraceae | <i>Cinnamomum</i> | camphortree | w | 1 |
| Plantaginaceae | <i>Kickxia</i> | cancerwort | h | 1 |
| Brassicaceae | <i>Iberis</i> | candytuft | h | 0 |
| Malvaceae | <i>Anisodontea</i> | Cape African-queen | h | 0 |
| Aponogetonaceae | <i>Aponogeton</i> | Cape pondweed | h | 0 |
| Asteraceae | <i>Delairea</i> | Cape-ivy | h | 1 |
| Fabaceae | <i>Otholobium</i> | Capetown pea | w | 0 |
| Asteraceae | <i>Arctotheca</i> | Capeweed | h | 0 |
| Asteraceae | <i>Cynara</i> | cardoon, globe artichoke | h | 15 |
| Euphorbiaceae | <i>Ricinus</i> | castorbean | w | 8 |
| Lamiaceae | <i>Nepeta</i> | catnip | h | 1 |

Non-native ornamentals and the number of native butterflies & moths that will lay eggs on them

All species (woody, herbaceous, tress & shrubs)

| Family as listed by Bonap | genera | common name | herbaceous or woody | Butterflies & moths |
|---------------------------|----------------------|---|---------------------|---------------------|
| Asteraceae | <i>Hypochaeris</i> | catsear | h | 2 |
| Apiaceae | <i>Apium</i> | celery | h | 23 |
| Gentianaceae | <i>Centaurium</i> | centaury | h | 1 |
| Poaceae | <i>Eremochloa</i> | centipedegrass | w | 2 |
| Asteraceae | <i>Anthemis</i> | chamomile | h | 5 |
| Pittosporaceae | <i>Pittosporum</i> | cheesewood | w | 1 |
| Apiaceae | <i>Anthriscus</i> | chervil | h | 0 |
| Caryophyllaceae | <i>Petrorhagia</i> | childing pink | h | 0 |
| Gunneraceae | <i>Gunnera</i> | Chilean gunnera | h | 0 |
| Juglandaceae | <i>Pterocarya</i> | Chinese wingnut | w | 0 |
| Asteraceae | <i>Chondrilla</i> | chondrilla, rush skeletonweed | h | 0 |
| Poaceae | <i>*Agropogon</i> | coast agropogon | h | 0 |
| Asteraceae | <i>Crupina</i> | common crupina | h | 0 |
| Iridaceae | <i>Freesia</i> | common freesia | h | 0 |
| Asteraceae | <i>Pericallis</i> | common ragwort | h | 2 |
| Aizoaceae | <i>Malephora</i> | coppery mesemb | w | 0 |
| Apiaceae | <i>Coriandrum</i> | coriander | h | 1 |
| Caryophyllaceae | <i>Agrostemma</i> | corncockle | h | 0 |
| Asteraceae | <i>Centaurea</i> | cornflower, knapweed, blessed thistle | h | 9 |
| Valerianaceae | <i>Valerianella</i> | cornsalad | h | 2 |
| Rosaceae | <i>Cotoneaster</i> | cotoneaster | w | 7 |
| Asteraceae | <i>Filago</i> | cottonrose | h | 0 |
| Asteraceae | <i>Onopordum</i> | cottonthistle | h | 0 |
| Poaceae | <i>Digitaria</i> | crabgrass, African couchgrass, Arizona cottontop, fall witchgrass | h | 10 |
| Rubiaceae | <i>Coprosma</i> | creeping mirrorplant | w | 0 |
| Cucurbitaceae | <i>Bryonia</i> | Cretan bryony | h | 0 |
| Asteraceae | <i>Hedypnois</i> | Cretanweed | h | 0 |
| Asteraceae | <i>Glebionis</i> | crowndaisy, tricolor daisy, corndaisy | h | 0 |
| Asteraceae | <i>Euchiton</i> | cudweed | h | 0 |
| Poaceae | <i>Parapholis</i> | curved sicklegrass | h | 0 |
| Asteraceae | <i>Mantiscalca</i> | dagger flower | h | 0 |
| Asteraceae | <i>Leucanthemum</i> | daisy | h | 3 |
| Asteraceae | <i>Osteospermum</i> | daisybush | h | 0 |
| Asteraceae | <i>Taraxacum</i> | dandelion | h | 44 |
| Arecaceae | <i>Phoenix</i> | date palm | w | 4 |
| Lamiaceae | <i>Lamium</i> | deadnettle | h | 1 |
| Fabaceae | <i>Lotus</i> | deer vetch, trefoil | h | 34 |
| Aizoaceae | <i>Drosanthemum</i> | dewflower | h | 0 |
| Apiaceae | <i>Anethum</i> | dill | h | 2 |
| Asteraceae | <i>Argyranthemum</i> | dill daisy | h | 0 |
| Asteraceae | <i>Carthamus</i> | distaff thistle | h | 2 |
| Asteraceae | <i>Dittrichia</i> | dittrichia | h | 0 |
| Asteraceae | <i>Chamaemelum</i> | dogfennel, Roman chamomile | h | 0 |
| Poaceae | <i>Cynosurus</i> | dogstail grass | h | 1 |
| Lemnaceae | <i>Landoltia</i> | dotted duckmeat | h | 0 |
| Amaranthaceae | <i>Dysphania</i> | dwarf-flower | h | 0 |
| Hydrocharitaceae | <i>Egeria</i> | egeria, Brazilian waterweed | h | 0 |
| Poaceae | <i>Pennisetum</i> | elephantgrass, fountaingrass | h | 3 |
| Ulmaceae | <i>Ulmus</i> | elm | w | 75 |
| Asteraceae | <i>Rhagadiolus</i> | endive daisy | h | 0 |
| Asteraceae | <i>Cichorium</i> | endive, chickory | h | 10 |
| Araliaceae | <i>Hedera</i> | english ivy | h | 6 |
| Fabaceae | <i>Chamaecytisus</i> | escabon | w | 0 |
| Myrtaceae | <i>Eucalyptus</i> | eucalyptus | w | 5 |
| Santalaceae | <i>Viscum</i> | European mistletoe | w | 1 |
| Asteraceae | <i>Tolpis</i> | European umbrella milkwort | h | 0 |

Non-native ornamentals and the number of native butterflies & moths that will lay eggs on them

All species (woody, herbaceous, tress & shrubs)

| Family as listed by Bonap | genera | common name | herbaceous or woody | Butterflies & moths |
|---------------------------|-------------------------|--|---------------------|---------------------|
| Boraginaceae | <i>Pentaglottis</i> | evergreen bugloss | h | 0 |
| Poaceae | <i>Brachypodium</i> | false brome | h | 1 |
| Liliaceae | <i>Nothoscordum</i> | False garlic, crowpoison | h | 0 |
| Poaceae | <i>Catapodium</i> | ferngrass | h | 0 |
| Poaceae | <i>Schedonorus</i> | fescue | h | 0 |
| Moraceae | <i>Ficus</i> | fig | w | 5 |
| Rosaceae | <i>Pyracantha</i> | firethorn | w | 10 |
| Linaceae | <i>Linum</i> | flax | h | 14 |
| Boraginaceae | <i>Myosotis</i> | forget-me-not | h | 3 |
| Plantaginaceae | <i>Digitalis</i> | foxglove | h | 2 |
| Poaceae | <i>Gaudinia</i> | fragile oat | h | 0 |
| Onagraceae | <i>Fuchsia</i> | fuchsia | w | 6 |
| Fumariaceae | <i>Fumaria</i> | fumitory | h | 0 |
| Asteraceae | <i>Galinsoga</i> | gallant soldier | h | 0 |
| Hyacinthaceae | <i>Hyacinthus</i> | garden hyacinth | h | 1 |
| Geraniaceae | <i>Pelargonium</i> | geranium | h | 16 |
| Poaceae | <i>Arundo</i> | giant reed | h | 0 |
| Polygonaceae | <i>Reynoutria</i> | Giant-Knotweed, Japanese-Knotweed | h | 0 |
| Iridaceae | <i>Gladiolus</i> | gladiolus | h | 11 |
| Orobanchaceae | <i>Parentucellia</i> | glandweed | h | 0 |
| Poaceae | <i>Aegilops</i> | goatgrass | h | 1 |
| Poaceae | <i>Phyllostachys</i> | golden bamboo | w | 0 |
| Fabaceae | <i>Laburnum</i> | golden chain tree, waterer laburnum, scotch laburnum | w | 1 |
| Asteraceae | <i>Scolymus</i> | goldenthistle | h | 0 |
| Poaceae | <i>Lamarckia</i> | goldentop grass | h | 1 |
| Fabaceae | <i>Ulex</i> | gorse | h | 0 |
| Liliaceae | <i>Muscari</i> | grape hyacinth | h | 0 |
| Lamiaceae | <i>Glechoma</i> | ground ivy | h | 2 |
| Solanaceae | <i>Physalis</i> | groundcherry | h | 8 |
| Asteraceae | <i>Guizotia</i> | guizotia, ramtilla | h | 0 |
| Poaceae | <i>Aira</i> | hairgrass | h | 0 |
| Poaceae | <i>Lagurus</i> | haretail grass | h | 0 |
| Asteraceae | <i>Leontodon</i> | hawkbit | h | 0 |
| Aizoaceae | <i>Aptenia</i> | heartleaf iceplant | h | 0 |
| Basellaceae | <i>Anredera</i> | heartleaf madeiravine, Texas madeiravine | h | 0 |
| Ericaceae | <i>Erica</i> | heath, heather | h | 4 |
| Brassicaceae | <i>Sisymbrium</i> | hedgemuster, tumbledustard | h | 12 |
| Apiaceae | <i>Torilis</i> | hedgearsley | h | 0 |
| Lamiaceae | <i>Cedronella</i> | herb of Gilead | h | 0 |
| Geraniaceae | <i>Erodium</i> | heron's bill, erodium, stork's bill | h | 9 |
| Caprifoliaceae | <i>Leycesteria</i> | Himalayan honeysuckle | w | 0 |
| Dryopteridaceae | <i>Cyrtomium</i> | holly fern | h | 0 |
| Aquifoliaceae | <i>Ilex</i> | holly, inkberry, winterberry | w | 14 |
| Malvaceae | <i>Alcea</i> | hollyhock | h | 10 |
| Cannabaceae | <i>Humulus</i> | hops | h | 10 |
| Lamiaceae | <i>Marrubium</i> | horehound | h | 0 |
| Brassicaceae | <i>Armoracia</i> | horseradish | h | 4 |
| Hydrocharitaceae | <i>Hydrilla</i> | hydrilla, waterthyme | h | 0 |
| Aizoaceae | <i>Mesembryanthemum</i> | iceplant | h | 0 |
| Molluginaceae | <i>Mollugo</i> | indian chickweed, carpetweed | h | 1 |
| Poaceae | <i>Eleusine</i> | indian goosegrass | h | 1 |
| Araceae | <i>Arum</i> | Italian lords and ladies, Solomon's lily | h | 0 |
| Solanaceae | <i>Cestrum</i> | jessamine | w | 3 |
| Poaceae | <i>Sorghum</i> | johnsongrass, Sorghum | h | 14 |
| Plantaginaceae | <i>Cymbalaria</i> | kenilworth ivy | h | 1 |
| Ranunculaceae | <i>Consolida</i> | knight's spur | h | 0 |

Non-native ornamentals and the number of native butterflies & moths that will lay eggs on them

All species (woody, herbaceous, tress & shrubs)

| Family as listed by Bonap | genera | common name | herbaceous or woody | Butterflies & moths |
|---------------------------|----------------------|---|---------------------|---------------------|
| Caryophyllaceae | <i>Scleranthus</i> | knotgrass | h | 0 |
| Malvaceae | <i>Hoheria</i> | lacebark | w | 0 |
| Lamiaceae | <i>Lavandula</i> | lavender | w | 3 |
| Asteraceae | <i>Santolina</i> | lavender cotton | w | 0 |
| Fabaceae | <i>Lens</i> | lentil | h | 1 |
| Asteraceae | <i>Lactuca</i> | lettuce | h | 46 |
| Solanaceae | <i>Salpichroa</i> | lily of the valley vine | h | 0 |
| Plantaginaceae | <i>Bellardia</i> | linseed | h | 0 |
| Campanulaceae | <i>Lobelia</i> | lobelia, cardinalflower | h | 1 |
| Fabaceae | <i>Robinia</i> | locust, black locust, rose acacia | w | 27 |
| Myrtaceae | <i>Luma</i> | Luma | w | 0 |
| Brassicaceae | <i>Lunaria</i> | lunaria | h | 0 |
| Brassicaceae | <i>Alyssum</i> | madwort | h | 2 |
| Polygonaceae | <i>Muehlenbeckia</i> | maidenhair vine | w | 0 |
| Malvaceae | <i>Malva</i> | mallow | h | 21 |
| Caryophyllaceae | <i>Polycarpon</i> | manysed | h | 0 |
| Asteraceae | <i>Calendula</i> | marigold | h | 10 |
| Cannabaceae | <i>Cannabis</i> | marijuana, hemp | h | 1 |
| Apiaceae | <i>Cyclospermum</i> | marsh parsley | h | 0 |
| Poaceae | <i>Ampelodesmos</i> | Mauritanian grass | h | 0 |
| Poaceae | <i>Schismus</i> | Mediterranean grass | h | 0 |
| Poaceae | <i>Rostraria</i> | Mediterranean hairgrass | h | 0 |
| Poaceae | <i>Taeniatherum</i> | medusahead | h | 0 |
| Resedaceae | <i>Reseda</i> | mignonette | h | 3 |
| Asteraceae | <i>Silybum</i> | milkthistle | h | 3 |
| Amaranthaceae | <i>Chenopodium</i> | Mock Goosefoot | h | 0 |
| Lamiaceae | <i>Moluccella</i> | moluccella, carpetweed | h | 0 |
| Iridaceae | <i>Crocsmia</i> | montbretia | h | 0 |
| Urticaceae | <i>Soleirolia</i> | mother of thousands, mind-your-own-business | h | 2 |
| Brassicaceae | <i>Arabidopsis</i> | mouseear cress, rock cress | h | 0 |
| Moraceae | <i>Morus</i> | mulberry | w | 2 |
| Scrophulariaceae | <i>Verbascum</i> | mullein | h | 8 |
| Brassicaceae | <i>Sinapis</i> | mustard | h | 9 |
| Myrtaceae | <i>Myrtus</i> | myrtle | w | 0 |
| Caryophyllaceae | <i>Paronychia</i> | nailwort | h | 0 |
| Amaryllidaceae | <i>Narcissus</i> | narcissus, jonquil, daffodil, primrose peerless | h | 2 |
| Aizoaceae | <i>Conicosia</i> | narrow-leaved iceplant | h | 0 |
| Tropaeolaceae | <i>Tropaeolum</i> | nasturtium | h | 5 |
| Aizoaceae | <i>Tetragonia</i> | New Zealand spinach | h | 0 |
| Scrophulariaceae | <i>Myoporum</i> | ngaio tree | w | 0 |
| Fabaceae | <i>Caesalpinia</i> | nicker, | w | 2 |
| Ranunculaceae | <i>Nigella</i> | nigella | h | 0 |
| Asteraceae | <i>Lapsana</i> | nipplewort | h | 0 |
| Poaceae | <i>Gastridium</i> | nit grass | h | 0 |
| Poaceae | <i>Avena</i> | oat, oats | h | 17 |
| Poaceae | <i>Arrhenatherum</i> | oatgrass | h | 0 |
| Oleaceae | <i>Olea</i> | olive | w | 5 |
| Poaceae | <i>Dactylis</i> | orchard grass | h | 8 |
| Moraceae | <i>Maclura</i> | osage orange | w | 1 |
| Asteraceae | <i>Heteranthesis</i> | oxeye | h | 0 |
| Poaceae | <i>Lachnagrostis</i> | Pacific bentgrass | h | 0 |
| Poaceae | <i>Cortaderia</i> | pampas grass | h | 1 |
| Aizoaceae | <i>Cypselea</i> | panal | h | 0 |
| Apiaceae | <i>Petroselinum</i> | parsley | h | 8 |
| Rosaceae | <i>Aphanes</i> | parsley piert | h | 0 |
| Passifloraceae | <i>Passiflora</i> | passionflower, passion-vine | h | 5 |
| Fabaceae | <i>Pisum</i> | pea(garden) | h | 30 |

Non-native ornamentals and the number of native butterflies & moths that will lay eggs on them

All species (woody, herbaceous, tress & shrubs)

| Family as listed by Bonap | genera | common name | herbaceous or woody | Butterflies & moths |
|---------------------------|------------------------|---|---------------------|---------------------|
| Rosaceae | <i>Pyrus</i> | pear | w | 51 |
| Brassicaceae | <i>Thlaspi</i> | penny cress | h | 5 |
| Solanaceae | <i>Petunia</i> | pentunia | h | 6 |
| Anacardiaceae | <i>Schinus</i> | peppertree, Brazilian pepper | w | 4 |
| Apocynaceae | <i>Vinca</i> | periwinkle | h | 2 |
| Apocynaceae | <i>Catharanthus</i> | periwinkle | h | 0 |
| Asteraceae | <i>Plecostachys</i> | Petite-Licorice | h | 0 |
| Rosaceae | <i>Photinia</i> | photinia, red tip | w | 0 |
| Phrymaceae | <i>Phryma</i> | phryma | h | 0 |
| Dipsacaceae | <i>Scabiosa</i> | pincushions | h | 2 |
| Araceae | <i>Pinellia</i> | pinellia | h | 0 |
| Fabaceae | <i>Paraserianthes</i> | plume albizia | w | 0 |
| Asteraceae | <i>Carduus</i> | plumeless thistle | h | 6 |
| Apiaceae | <i>Conium</i> | poison hemlock | h | 3 |
| Phytolaccaceae | <i>Phytolacca</i> | pokeweed | h | 4 |
| Poaceae | <i>Crypsis</i> | pricklegrass | h | 0 |
| Asteraceae | <i>Urospermum</i> | prickly goldenfleece | h | 0 |
| Oleaceae | <i>Ligustrum</i> | privet | w | 17 |
| Zygophyllaceae | <i>Tribulus</i> | puncturevine | h | 0 |
| Portulacaceae | <i>Portulaca</i> | purslane, hogweed, chickenweed, rose moss | h | 20 |
| Poaceae | <i>Briza</i> | quakinggrass | h | 0 |
| Rosaceae | <i>Cydonia</i> | quince | w | 13 |
| Brassicaceae | <i>Raphanus</i> | radish | h | 20 |
| Pedaliaceae | <i>Proboscidea</i> | ram's horn | h | 3 |
| Valerianaceae | <i>Centranthus</i> | red valerian | h | 0 |
| Grossulariaceae | <i>Escallonia</i> | redclaws | w | 1 |
| Liliaceae | <i>Kniphofia</i> | redhot poker | h | 0 |
| Poaceae | <i>Piptatherum</i> | ricegrass | h | 0 |
| Poaceae | <i>Austrodanthonia</i> | Ringed Wallaby Grass | h | 0 |
| Cistaceae | <i>Cistus</i> | rockrose | w | 0 |
| Iridaceae | <i>Romulea</i> | rosy sandcrocus | h | 0 |
| Asteraceae | <i>Rhodanthe</i> | rosy sunray | h | 0 |
| Rutaceae | <i>Ruta</i> | rue | h | 4 |
| Caryophyllaceae | <i>Herniaria</i> | rupturewort | h | 0 |
| Polygonaceae | <i>Rhaponticum</i> | Russian Knapweed, Hardheads | h | 0 |
| Chenopodiaceae | <i>Salsola</i> | Russian thistle | h | 15 |
| Poaceae | <i>Secale</i> | rye, cereal rye | h | 10 |
| Poaceae | <i>Lolium</i> | ryegrass | h | 6 |
| Rosaceae | <i>Poterium</i> | Salad-Burnet | h | 0 |
| Asteraceae | <i>Tragopogon</i> | salsify, goatsbeard | h | 5 |
| Poaceae | <i>Cenchrus</i> | sandbur | h | 3 |
| Aizoaceae | <i>Carpobrotus</i> | sea fig | h | 0 |
| Brassicaceae | <i>Crambe</i> | sea kale | h | 0 |
| Haloragaceae | <i>Haloragis</i> | seaberry | w | 0 |
| Brassicaceae | <i>Cakile</i> | searocket | h | 2 |
| Brassicaceae | <i>Teesdalia</i> | shepardscress | h | 0 |
| Apiaceae | <i>Scandix</i> | shepherd's needle | h | 0 |
| Brassicaceae | <i>Capsella</i> | shepherd's purse | h | 4 |
| Brassicaceae | <i>Hirschfeldia</i> | shortpod mustard | h | 4 |
| Amaranthaceae | <i>Bassia</i> | motherweed | h | 0 |
| Plantaginaceae | <i>Antirrhinum</i> | snapdragon | h | 11 |
| Iridaceae | <i>Libertia</i> | snowy mermaid | h | 0 |
| Caryophyllaceae | <i>Vaccaria</i> | soapwort | h | 0 |
| Asteraceae | <i>Sonchus</i> | sowthistle | h | 3 |
| Fabaceae | <i>Spartium</i> | Spanish broom | w | 2 |
| Asteraceae | <i>Prionopsis</i> | Spanishgold | h | 0 |
| Poaceae | <i>Piptochaetium</i> | speargrass | h | 0 |

Non-native ornamentals and the number of native butterflies & moths that will lay eggs on them

All species (woody, herbaceous, tress & shrubs)

| Family as listed by Bonap | genera | common name | herbaceous or woody | Butterflies & moths |
|---------------------------|---------------------|--|---------------------|---------------------|
| Agavaceae | <i>Chlorophytum</i> | spider plant | h | 0 |
| Commelinaceae | <i>Tradescantia</i> | spiderwort | h | 4 |
| Cyperaceae | <i>Kyllinga</i> | spikesedge | h | 0 |
| Amaranthaceae | <i>Spinacia</i> | spinach | h | 16 |
| Caryophyllaceae | <i>Spergula</i> | spurry | h | 0 |
| Poaceae | <i>Stenotaphrum</i> | St. Augustinegrass | h | 8 |
| Asteraceae | <i>Jacobaea</i> | stinking willie | h | 13 |
| Asteraceae | <i>Helichrysum</i> | strawflower | w | 0 |
| Poaceae | <i>Saccharum</i> | sugarcane plumegrass, sugarcane, silver plumegrass | h | 9 |
| Brassicaceae | <i>Lobularia</i> | sweet alyssum | h | 1 |
| Lauraceae | <i>Laurus</i> | sweet bay | w | 2 |
| Apiaceae | <i>Foeniculum</i> | sweet fennel, fennel | h | 4 |
| Caryophyllaceae | <i>Atocion</i> | Sweet-william-catchfly | h | 0 |
| Fabaceae | <i>Melilotus</i> | sweetclover, clover | h | 29 |
| Tamaricaceae | <i>Tamarix</i> | tamarisk | w | 3 |
| Dipsacaceae | <i>Dipsacus</i> | teasel | h | 0 |
| Myrtaceae | <i>Leptospermum</i> | teatree | w | 0 |
| Brassicaceae | <i>Matthiola</i> | tenweeks stock, night scented stock | h | 1 |
| Polygonaceae | <i>Emex</i> | threecornerjack | h | 0 |
| Asteraceae | <i>Coreopsis</i> | tickseed, coreopsis | h | 6 |
| Poaceae | <i>Phleum</i> | timothy | h | 12 |
| Solanaceae | <i>Nicotiana</i> | tobacco | h | 32 |
| Apiaceae | <i>Ammi</i> | toothpickweed, large bullwort | h | 0 |
| Balsaminaceae | <i>Impatiens</i> | touch-me-not, impatiens | h | 3 |
| Malvaceae | <i>Lavatera</i> | tree lavatera | h | 1 |
| Caryophyllaceae | <i>Moenchia</i> | upright chickweed | h | 0 |
| Poaceae | <i>Ehrharta</i> | veldtgrass | h | 1 |
| Caryophyllaceae | <i>Velezia</i> | velezia | h | 0 |
| Poaceae | <i>Holcus</i> | velvet grass | h | 0 |
| Boraginaceae | <i>Echium</i> | viper's bugloss | h | 0 |
| Poaceae | <i>Rytidosperma</i> | wallaby grass | h | 0 |
| Brassicaceae | <i>Diptotaxis</i> | wallrocket | h | 0 |
| Pontederiaceae | <i>Eichhornia</i> | water hyacinth | h | 3 |
| Asteraceae | <i>Cotula</i> | waterbuttons | h | 0 |
| Brassicaceae | <i>Nasturtium</i> | watercress | h | 2 |
| Nymphaeaceae | <i>Nymphaea</i> | waterlily | h | 2 |
| Cucurbitaceae | <i>Citrullus</i> | watermelon | h | 11 |
| Poaceae | <i>Triticum</i> | wheat | h | 30 |
| Poaceae | <i>Thinopyrum</i> | wheatgrass | h | 0 |
| Apiaceae | <i>Pastinaca</i> | wild parsnip | h | 6 |
| Brassicaceae | <i>Isatis</i> | woad | h | 1 |
| Pedaliaceae | <i>Ibicella</i> | yellow unicorn-plant | h | 0 |