

SF Bay Area native plants and the number of butterflies & moths that will lay eggs on them

Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, & Sonoma Counties

Family as listed by Bonap	genera	common name	herbaceous or woody	Butterflies & moths
Salicaceae	<i>Salix</i>	willow	w	327
Fagaceae	<i>Quercus</i>	oak	w	270
Rosaceae	<i>Prunus</i>	beach plum, cherry, chokecherry, peach, plum, sweet cherry, wild plum, almond	w	246
Salicaceae	<i>Populus</i>	aspen, cottonwood, poplar	w	231
Betulaceae	<i>Alnus</i>	alder	w	196
Pinaceae	<i>Pinus</i>	pine	w	165
Rosaceae	<i>Malus</i>	crabapple, apple	w	137
Pinaceae	<i>Pseudotsuga</i>	douglas fir	w	123
Grossulariaceae	<i>Ribes</i>	currant, gooseberry	w	122
Rhamnaceae	<i>Ceanothus</i>	New Jersey tea	w	117
Aceraceae	<i>Acer</i>	maple, boxelder	w	116
Pinaceae	<i>Abies</i>	fir	w	112
Ericaceae	<i>Vaccinium</i>	cranberry, blueberry	w	106
Rosaceae	<i>Rosa</i>	rose, sweetbriar	w	95
Rosaceae	<i>Rubus</i>	blackberry, dewberry, Himalayan berry, raspberry, thimbleberry, loganberry	w	94
Fabaceae	<i>Trifolium</i>	clover	h	89
Pinaceae	<i>Tsuga</i>	hemlock	w	86
Rosaceae	<i>Amelanchier</i>	serviceberry, juneberry, shadbush	w	77
Fabaceae	<i>Lupinus</i>	lupine	h	75
Ericaceae	<i>Arctostaphylos</i>	bearberry, kinnikinnick, manzanita	w	68
Asteraceae	<i>Artemisia</i>	sagebrush, wormwood	h	65
Rosaceae	<i>Crataegus</i>	hawthorn	w	64
Betulaceae	<i>Corylus</i>	filbert, hazel, hazelnut	w	63
Asteraceae	<i>Helianthus</i>	sunflower	h	60
Rosaceae	<i>Fragaria</i>	strawberry	h	58
Cornaceae	<i>Cornus</i>	dogwood, bunchberry	w	57
Oleaceae	<i>Fraxinus</i>	ash	w	57
Polygonaceae	<i>Eriogonum</i>	buckwheat	h	56
Asteraceae	<i>Solidago</i>	goldenrod	h	55
Vitaceae	<i>Vitis</i>	grape	w	54
Asteraceae	<i>Symphotrichum</i>	aster, oldfield aster	h	53
Cupressaceae	<i>Juniperus</i>	juniper, red cedar	w	52
Cupressaceae	<i>Thuja</i>	western red cedar, arborvitae	w	49
Solanaceae	<i>Solanum</i>	horsenettle, nightshade, potato, tomato, eggplant, aubergines	h	48
Rosaceae	<i>Spiraea</i>	meadowsweet, spirea	w	48
Ericaceae	<i>Arbutus</i>	madrone	w	45
Asteraceae	<i>Senecio</i>	butterweed, ragwort	h	43
Plantaginaceae	<i>Plantago</i>	plantain	h	40
Rosaceae	<i>Purshia</i>	bitterbush, cliffrose	w	40
Asteraceae	<i>Ambrosia</i>	ragweed	h	38
Rosaceae	<i>Holodiscus</i>	oceanspray, rockspirea	w	38
Asteraceae	<i>Baccharis</i>	baccharis	h	37
Juglandaceae	<i>Juglans</i>	butternut, walnut	w	37
Ericaceae	<i>Rhododendron</i>	rhododendron, azalea, labrador tea	w	37
Caprifoliaceae	<i>Symphoricarpos</i>	snowberry, buckbush	w	37
Polygonaceae	<i>Polygonum</i>	knotweed, smartweed	h	36
Rosaceae	<i>Cercocarpus</i>	mountain mahogany	w	35
Fabaceae	<i>Lathyrus</i>	pea	h	33
Onagraceae	<i>Epilobium</i>	willowherb	h	32
Solanaceae	<i>Nicotiana</i>	tobacco	h	32
Adoxaceae	<i>Viburnum</i>	arrowwood, viburnum, (<i>Viburnum opulus</i> =swamp elder), wild raisin	w	32
Adoxaceae	<i>Sambucus</i>	elderberry	w	31

SF Bay Area native plants and the number of butterflies & moths that will lay eggs on them

Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, & Sonoma Counties

Family as listed by Bonap	genera	common name	herbaceous or woody	Butterflies & moths
Fabaceae	<i>Astragalus</i>	milkvetch	h	30
Amaranthaceae	<i>Chenopodium</i>	goosefoot, lambsquarters	h	30
Caprifoliaceae	<i>Lonicera</i>	honeysuckle	w	30
Plantaginaceae	<i>Penstemon</i>	beardtongue, penstemon	h	30
Anacardiaceae	<i>Rhus</i>	sumac	w	30
Polygonaceae	<i>Rumex</i>	dock, sheep sorrel, curly dock	h	28
Violaceae	<i>Viola</i>	violet	h	27
Asteraceae	<i>Ericameria</i>	goldenbush	h	26
Hydrophyllaceae	<i>Phacelia</i>	phacelia	h	26
Fabaceae	<i>Vicia</i>	vetch	h	26
Amaranthaceae	<i>Atriplex</i>	saltbush, orache	h	25
Orobanchaceae	<i>Castilleja</i>	Indian paintbrush	h	25
Rhamnaceae	<i>Fragula</i>	buckthorn	w	25
Asteraceae	<i>Isocoma</i>	goldenbush	h	25
Onagraceae	<i>Oenothera</i>	evening primrose	h	25
Asteraceae	<i>Erigeron</i>	fleabane	h	24
Poaceae	<i>Poa</i>	blue grass	h	24
Rhamnaceae	<i>Rhamnus</i>	buckthorn, redberry	w	24
Urticaceae	<i>Urtica</i>	nettle, stinging nettle	h	24
Asteraceae	<i>Cirsium</i>	thistle	h	22
Rosaceae	<i>Adenostoma</i>	chamise, redshank	w	21
Alliaceae	<i>Allium</i>	onion	h	21
Asteraceae	<i>Grindelia</i>	gumweed	h	21
Amaranthaceae	<i>Amaranthus</i>	pigweed, amaranth	h	20
Apiaceae	<i>Daucus</i>	carrot, Queen Anne's Lace	h	20
Geraniaceae	<i>Geranium</i>	geranium	h	20
Lamiaceae	<i>Mentha</i>	mint, spearmint, peppermint	h	20
Asteraceae	<i>Achillea</i>	yarrow, sneezeweed	h	19
Asteraceae	<i>Gnaphalium</i>	cudweed	h	19
Asteraceae	<i>Gutierrezia</i>	snakeweed	h	19
Caryophyllaceae	<i>Stellaria</i>	chickweed, starwort	h	19
Asteraceae	<i>Heterotheca</i>	false goldenaster	h	17
Platanaceae	<i>Platanus</i>	sycamore	w	17
Sapindaceae	<i>Aesculus</i>	horsechestnut, buckeye	w	16
Cyperaceae	<i>Carex</i>	sedge, burr reed	h	16
Poaceae	<i>Elymus</i>	rye, wheat, bottlebrush grass	h	16
Fabaceae	<i>Amorpha</i>	false indigo, indigobush, leadplant	h	15
Asteraceae	<i>Anaphalis</i>	pearly everlasting	h	15
Poaceae	<i>Hordeum</i>	barley	h	15
Hypericaceae	<i>Hypericum</i>	St. Johns wort	h	15
Lamiaceae	<i>Stachys</i>	hedgenettle, lamb's ear	h	15
Fabaceae	<i>Cercis</i>	redbud, judas-tree	w	14
Cucurbitaceae	<i>Cucurbita</i>	pumpkin, gourd, squash	h	14
Linaceae	<i>Linum</i>	flax	h	14
Phrymaceae	<i>Mimulus</i>	monkeyflower	h	14
Rosaceae	<i>Potentilla</i>	cinquefoil	h	14
Lamiaceae	<i>Salvia</i>	sage	h	14
Cupressaceae	<i>Chamaecyparis</i>	Atlantic white cedar, white cedar	w	13
Fagaceae	<i>Chrysolepis</i>		w	13
Rubiaceae	<i>Galium</i>	bedstraw	h	13
Malvaceae	<i>Hibiscus</i>	hibiscus, rosemallow	h	13
Vitaceae	<i>Parthenocissus</i>	virginia creeper, woodbine, Boston Ivy	w	13
Asteraceae	<i>Balsamorhiza</i>	balsamroot	h	12
Asteraceae	<i>Eriophyllum</i>	woolly sunflower	h	12
Nyctaginaceae	<i>Mirabilis</i>	four o'clock, marvel of Peru, desert wishbone-bush	h	12
Polygonaceae	<i>Persicaria</i>	Lady's-Thumb, Smartweed, Tearthumb	h	12

SF Bay Area native plants and the number of butterflies & moths that will lay eggs on them

Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, & Sonoma Counties

Family as listed by Bonap	genera	common name	herbaceous or woody	Butterflies & moths
Poaceae	<i>Phleum</i>	timothy	h	12
Rosaceae	<i>Physocarpus</i>	ninebark	w	12
Scrophulariaceae	<i>Scrophularia</i>	figwort, carpenter's square	h	12
Anacardiaceae	<i>Toxicodendron</i>	poison oak, poison sumac, posion ivy	w	12
Apocynaceae	<i>Apocynum</i>	dogbane	h	11
Brassicaceae	<i>Arabis</i>	rockcress	h	11
Ranunculaceae	<i>Clematis</i>	clematis, leather flower	h	11
Poaceae	<i>Festuca</i>	fescue	h	11
Juncaceae	<i>Juncus</i>	rush	h	11
Malvaceae	<i>Sidalcea</i>	checkerbloom	h	11
Asteraceae	<i>Bidens</i>	beggers ticks	h	10
Cupressaceae	<i>Calocedrus</i>	incense cedar	w	10
Apiaceae	<i>Lomatium</i>	biscuitroot	h	10
Lamiaceae	<i>Monardella</i>	Mountainbalm	h	10
Myricaceae	<i>Morella</i>	red bayberry, wax myrtle, northern bayberry	w	10
Fagaceae	<i>Notholithocarpus</i>	tanoak	w	10
Rosaceae	<i>Oemleria</i>	indian plum	w	10
Crassulaceae	<i>Sedum</i>	orpine, stonecrop, green cockscomb	h	10
Fabaceae	<i>Thermopsis</i>	goldenbanner	h	10
Poaceae	<i>Agrostis</i>	bent grass	h	9
Asclepiadaceae	<i>Asclepias</i>	milkweed, butterfly weed	h	9
Brassicaceae	<i>Caulanthus</i>	wildcabbage	h	9
Ranunculaceae	<i>Delphinium</i>	larkspur	h	9
Brassicaceae	<i>Descurainia</i>	tansymustard, herb sophia	h	9
Rosaceae	<i>Heteromeles</i>	toyon	w	9
Rosaceae	<i>Horkelia</i>	horkelia	h	9
Iridaceae	<i>Iris</i>	iris	h	9
Typhaceae	<i>Typha</i>	cattail	h	9
Verbenaceae	<i>Verbena</i>	verbena, vervain	h	9
Asteraceae	<i>Xanthium</i>	spiny cocklebur	h	9
Ranunculaceae	<i>Aquilegia</i>	columbine	h	8
Poaceae	<i>Bromus</i>	brome	h	8
Onagraceae	<i>Clarkia</i>	clarkia	h	8
Euphorbiaceae	<i>Croton</i>	firebush, croton, prairie tea	h	8
Brassicaceae	<i>Lepidium</i>	peppergrass, pepperweed	h	8
Malvaceae	<i>Malacothamnus</i>	bushmallow	w	8
Orobanchaceae	<i>Orthocarpus</i>	owl's clover	h	8
Cyperaceae	<i>Scirpus</i>	woolgrass, bulrush	h	8
Cupressaceae	<i>Sequoia</i>	redwood	w	8
Brassicaceae	<i>Streptanthus</i>	twistflower, jewelflower	h	8
Plantaginaceae	<i>Veronica</i>	speedwell	h	8
Apiaceae	<i>Angelica</i>	angelica	h	7
Brassicaceae	<i>Boechera</i>	Rockcress, Sicklepod	h	7
Onagraceae	<i>Chamaenerion</i>	Fireweed	h	7
Asteraceae	<i>Dieteria</i>	False Tansy-Aster	h	7
Euphorbiaceae	<i>Euphorbia</i>	poinsettia, spurge, snow-on-the-mountain	h	7
Polemoniaceae	<i>Gilia</i>	gilia	h	7
Malvaceae	<i>Malvella</i>	mallow	h	7
Polemoniaceae	<i>Phlox</i>	phlox	h	7
Dennstaedtiaceae	<i>Pteridium</i>	brackenfern, bracken	h	7
Nyctaginaceae	<i>Abronia</i>	sand verbena	h	6
Boraginaceae	<i>Amsinckia</i>	fiddleneck	h	6
Brassicaceae	<i>Barbarea</i>	yellowrocket, wintercress	h	6
Asteraceae	<i>Chaenactis</i>	dustymaiden, pincushion	h	6
Solanaceae	<i>Datura</i>	thorn-apple, jimsonweed, pricklyburr	h	6
Hydrophyllaceae	<i>Eriodictyon</i>	yerba santa	w	6

SF Bay Area native plants and the number of butterflies & moths that will lay eggs on them

Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, & Sonoma Counties

Family as listed by Bonap	genera	common name	herbaceous or woody	Butterflies & moths
Apiaceae	<i>Heracleum</i>	cow parsnip, giant hogweed, eltrof	h	6
Poaceae	<i>Leymus</i>	wildrye, California Bottlebrush Grass	h	6
Boraginaceae	<i>Mertensia</i>	bluebells	h	6
Hydrophyllaceae	<i>Nemophila</i>	baby blue eyes	w	6
Poaceae	<i>Panicum</i>	bulb panic grass, guineagrass, maidencane, winged panicgrass, panicgrass, torpedograss, proso millet	h	6
Poaceae	<i>Paspalum</i>	paspalum, dallisgrass, vaseygrass, crowngrass	h	6
Asteraceae	<i>Pseudognaphalium</i>	rabbit-tobacco, sweeteverlasting, cudweed	h	6
Fabaceae	<i>Senna</i>	senna	h	6
Smilacaceae	<i>Smilax</i>	greenbriar	w	6
Lamiaceae	<i>Trichostema</i>	fluxweed, bluecurls	h	6
Brassicaceae	<i>Turritis</i>	Tower Mustard, Towercress, rockcress	h	6
Melanthiaceae	<i>Veratrum</i>	hellebore, bunchflower	h	6
Asteraceae	<i>Verbesina</i>	crownbeard, wing-stem	h	6
Nyctaginaceae	<i>Boerhavia</i>	spiderling	h	5
Onagraceae	<i>Camissonia</i>	suncup	h	5
Rubiaceae	<i>Cephalanthus</i>	buttonbush	w	5
Apiaceae	<i>Cicuta</i>	water hemlock	h	5
Convolvulaceae	<i>Convolvulus</i>	bindweed, morning glory	h	5
Cyperaceae	<i>Cyperus</i>	yellow nutgrass, nutgrass, chufa, flatsedge	h	5
Poaceae	<i>Distichlis</i>	saltgrass	h	5
Crassulaceae	<i>Dudleya</i>	liveforever	h	5
Asteraceae	<i>Hazardia</i>	bristleweed	w	5
Apiaceae	<i>Ligusticum</i>	licorice-root	h	5
Liliaceae	<i>Lilium</i>	lily, tiger lily	h	5
Lythraceae	<i>Lythrum</i>	lythrum, loosestrife	h	5
Asteraceae	<i>Malacothrix</i>	desertdandelion	h	5
Cucurbitaceae	<i>Marah</i>	manroot	h	5
Apiaceae	<i>Osmorhiza</i>	sweetroot	h	5
Oxalidaceae	<i>Oxalis</i>	woodsorrel	h	5
Santalaceae	<i>Phoradendron</i>	mistletoe	w	5
Rutaceae	<i>Ptelea</i>	hoptree	w	5
Brassicaceae	<i>Rorippa</i>	yellowcress	h	5
Cyperaceae	<i>Schoenoplectus</i>	bulrush	h	5
Poaceae	<i>Setaria</i>	coral bristlegrass	h	5
Asteraceae	<i>Stephanomeria</i>	wirelettuce	h	5
Amaranthaceae	<i>Suaeda</i>	seepweed	h	5
Ranunculaceae	<i>Thalictrum</i>	meadow rue	h	5
Poaceae	<i>Andropogon</i>	bluestem, broomsedge bluestem	h	4
Asteraceae	<i>Antennaria</i>	pussytoes	h	4
Araliaceae	<i>Aralia</i>	devil's walkingstick, spikenard, sarsaparilla	h	4
Santalaceae	<i>Arceuthobium</i>	dwarf mistletoe	w	4
Poaceae	<i>Bouteloua</i>	buffalo grass, grama	h	4
Poaceae	<i>Calamagrostis</i>	feather reed grass	h	4
Montiaceae	<i>Claytonia</i>	springbeauty	h	4
Plantaginaceae	<i>Collinsia</i>	blue eyed mary	h	4
Asteraceae	<i>Corethrogyne</i>	common sandaster	h	4
Boraginaceae	<i>Cynoglossum</i>	comfrey, hound's tongue	h	4
Apiaceae	<i>Eryngium</i>	sea holly, rattlesnakemaster, eryngo	h	4
Celastraceae	<i>Euonymus</i>	wahoo, burningbush, euonymus, spindletree, burstingheart, wintercreeper, strawberrybush	w	4
Asteraceae	<i>Eurybia</i>	aster	h	4
Malvaceae	<i>Fremontodendron</i>	flannelbush	w	4
Ericaceae	<i>Gaultheria</i>	snowberry	w	4
Gentianaceae	<i>Gentiana</i>	gentian	h	4

SF Bay Area native plants and the number of butterflies & moths that will lay eggs on them

Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, & Sonoma Counties

Family as listed by Bonap	genera	common name	herbaceous or woody	Butterflies & moths
Poaceae	<i>Glyceria</i>	managrass, fowl managrass	h	4
Asteraceae	<i>Hieracium</i>	hawkweed	h	4
Plantaginaceae	<i>Keckiella</i>	penstemon, beardtongue	w	4
Asteraceae	<i>Lessingia</i>	lessingia	h	4
Polemoniaceae	<i>Linanthus</i>	linanthus	h	4
Saxifragaceae	<i>Lithophragma</i>	woodland-star	h	4
Asteraceae	<i>Madia</i>	tarweed	h	4
Berberidaceae	<i>Mahonia</i>	barberry	h	4
Ericaceae	<i>Menziesia</i>	minniebush, rusty menziesia	w	4
Orobanchaceae	<i>Pedicularis</i>	lousewort	h	4
Poaceae	<i>Phalaris</i>	canary grass	h	4
Hydrangeaceae	<i>Philadelphus</i>	mock orange	w	4
Verbenaceae	<i>Phyla</i>	turkey tangle fogfruit	h	4
Asteraceae	<i>Pluchea</i>	camphorweed, sweetscent	h	4
Dryopteridaceae	<i>Polystichum</i>	christmas fern, hollyfern	h	4
Apiaceae	<i>Sanicula</i>	sanicle, blacksnakeroot	h	4
Caryophyllaceae	<i>Silene</i>	catchfly, moss champion	h	4
Brassicaceae	<i>Thelypodium</i>	thelypody	h	4
Lauraceae	<i>Umbellularia</i>	California laurel	w	4
Papaveraceae	<i>Argemone</i>	pricklypoppy	h	3
Asteraceae	<i>Arnica</i>	arnica	h	3
Asteraceae	<i>Brickellia</i>	false boneset, bricklebrush	h	3
Convolvulaceae	<i>Calystegia</i>	false bindweed	h	3
Brassicaceae	<i>Cardamine</i>	bittercress, toothwort	h	3
Caryophyllaceae	<i>Cerastium</i>	chickweed, snow-in-summer	h	3
Apiaceae	<i>Conioselinum</i>	hemlockparsley	h	3
Asteraceae	<i>Crepis</i>	hawksbeard	h	3
Poaceae	<i>Danthonia</i>	oatgrass	h	3
Primulaceae	<i>Dodecatheon</i>	shootingstar	h	3
Malvaceae	<i>Eremalche</i>	mallow	h	3
Brassicaceae	<i>Erysimum</i>	wallflower	h	3
Papaveraceae	<i>Eschscholzia</i>	California poppy, desert poppy	h	3
Rosaceae	<i>Geum</i>	avens	h	3
Asteraceae	<i>Helenium</i>	sneezeweed	h	3
Boraginaceae	<i>Heliotropium</i>	heliotrope	h	3
Saxifragaceae	<i>Heuchera</i>	alumroot	h	3
Fabaceae	<i>Hoita</i>	leather-root	h	3
Lamiaceae	<i>Lepechinia</i>	pitchersage	w	3
Plumbaginaceae	<i>Limonium</i>	sealavander, statice	h	3
Onagraceae	<i>Ludwigia</i>	false loosestrife, primrose-willow	h	3
Apiaceae	<i>Oenanthe</i>	waterdropwort	h	3
Pedaliaceae	<i>Proboscidea</i>	ram's horn	h	3
Ranunculaceae	<i>Ranunculus</i>	buttercup	h	3
Aizoaceae	<i>Sesuvium</i>	seapurslane	h	3
Poaceae	<i>Spartina</i>	cordgrass	h	3
Poaceae	<i>Sporobolus</i>	dropseed	h	3
Apiaceae	<i>Tauschia</i>	umbrellawort	h	3
Taxaceae	<i>Taxus</i>	yew	w	3
Brassicaceae	<i>Thysanocarpus</i>	fringepod	h	3
Asteraceae	<i>Wyethia</i>	mule ears	h	3
Ranunculaceae	<i>Aconitum</i>	monkshood	h	2
Polygonaceae	<i>Aconogonon</i>	Alaska wild rhubarb	h	2
Lamiaceae	<i>Agastache</i>	hyssop	h	2
Poaceae	<i>Alopecurus</i>	foxtail	h	2
Poaceae	<i>Anthoxanthum</i>	vernalgrass	h	2
Brassicaceae	<i>Athysanus</i>	sandweed	h	2

SF Bay Area native plants and the number of butterflies & moths that will lay eggs on them

Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, & Sonoma Counties

Family as listed by Bonap	genera	common name	herbaceous or woody	Butterflies & moths
Plantaginaceae	<i>Bacopa</i>	waterhyssop	h	2
Poaceae	<i>Bothriochloa</i>	beardgrass	h	2
Onagraceae	<i>Camissoniopsis</i>	Spotted Suncup	h	2
Agavaceae	<i>Chlorogalum</i>	soapplant, amole	h	2
Lamiaceae	<i>Clinopodium</i>	clinopodium	h	2
Orobanchaceae	<i>Cordylanthus</i>	bird's-beak	h	2
Convolvulaceae	<i>Cuscuta</i>	dodder	h	2
Apiaceae	<i>Cymopterus</i>	springparsley	h	2
Papaveraceae	<i>Dendromecon</i>	tree poppy	w	2
Poaceae	<i>Deschampsia</i>	hairgrass	h	2
Thymelaeaceae	<i>Dirca</i>	leatherwood	w	2
Brassicaceae	<i>Draba</i>	draba	h	2
Poaceae	<i>Echinochloa</i>	barnyardgrass, cockspur	h	2
Cyperaceae	<i>Eleocharis</i>	spikerush	h	2
Ephedraceae	<i>Ephedra</i>	jointfir, clapweed	w	2
Poaceae	<i>Eragrostis</i>	lovegrass	h	2
Asteraceae	<i>Euthamia</i>	goldentop, flat-top goldentop	h	2
Frankeniaceae	<i>Frankenia</i>	seaheath	w	2
Gentianaceae	<i>Frasera</i>	frasera, columbo	h	2
Onagraceae	<i>Gayophytum</i>	groundsmoke	h	2
Fabaceae	<i>Glycyrrhiza</i>	licorice	h	2
Boraginaceae	<i>Hackelia</i>	stickseed	h	2
Asteraceae	<i>Hemizonia</i>	tarweed	h	2
Hydrophyllaceae	<i>Hydrophyllum</i>	waterleaf	h	2
Polemoniaceae	<i>Ipomopsis</i>	standing-cypress, skyrocket, ipomopsis, scarlet gilia	h	2
Poaceae	<i>Koeleria</i>	Junegrass	h	2
Asteraceae	<i>Leptosyne</i>	Bug-Fruit	h	2
Ruscaceae	<i>Maianthemum</i>	mayflower, false lily of the valley	h	2
Loasaceae	<i>Mentzelia</i>	blazingstar	h	2
Poaceae	<i>Muhlenbergia</i>	muhly	h	2
Plantaginaceae	<i>Nuttallanthus</i>	toadflax	h	2
Orobanchaceae	<i>Orobanche</i>	broomrape	h	2
Papaveraceae	<i>Papaver</i>	poppy	h	2
Fabaceae	<i>Pediomelum</i>	breadroot, buckroot	h	2
Asteraceae	<i>Petasites</i>	butterbur, sweet coltsfoot, pestilence wort,	h	2
Hydrophyllaceae	<i>Pholistoma</i>	fiestaflower	h	2
Brassicaceae	<i>Physaria</i>	twinpod	h	2
Valerianaceae	<i>Plectritis</i>	seablush	h	2
Asteraceae	<i>Rafinesquia</i>	plumeseed	h	2
Fabaceae	<i>Rupertia</i>	rupertia	h	2
Saxifragaceae	<i>Saxifraga</i>	saxifrage	h	2
Lamiaceae	<i>Scutellaria</i>	skullcap	h	2
Typhaceae	<i>Sparganium</i>	bur-reed	h	2
Poaceae	<i>Vulpia</i>	fescue	h	2
Berberidaceae	<i>Achlys</i>	deersfoot	h	1
Fabaceae	<i>Acmispon</i>	Deerweed	h	1
Pteridaceae	<i>Adiantum</i>	maidenhair fern	h	1
Asteraceae	<i>Agoseris</i>	woolly goat chicory,	h	1
Primulaceae	<i>Androsace</i>	rockjasmine	h	1
Ranunculaceae	<i>Anemone</i>	anemone, thimbleweed	h	1
Plumbaginaceae	<i>Armeria</i>	thrift seapink	h	1
Athyriaceae	<i>Athyrium</i>	ladyfern	h	1
Apiaceae	<i>Berula</i>	waterparsnip	h	1
Blechnaceae	<i>Blechnum</i>	midsorus fern	h	1
Apiaceae	<i>Bowlesia</i>	hoary bowlesia	h	1

SF Bay Area native plants and the number of butterflies & moths that will lay eggs on them

Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, & Sonoma Counties

Family as listed by Bonap	genera	common name	herbaceous or woody	Butterflies & moths
Cabombaceae	<i>Brasenia</i>	brasenia, watershield	h	1
Cabombaceae	<i>Cabomba</i>	fanwort	h	1
Asteraceae	<i>Cacaliopsis</i>	silvercrown	h	1
Liliaceae	<i>Calochortus</i>	mariposa lily	h	1
Calycanthaceae	<i>Calycanthus</i>	sweetshrub	w	1
Campanulaceae	<i>Campanula</i>	bellflower	h	1
Ericaceae	<i>Chimaphila</i>	pipissesewa, prince's pine	h	1
Polygonaceae	<i>Chorizanthe</i>	spineflower	h	1
Crassulaceae	<i>Crassula</i>	pygmyweed	h	1
Cistaceae	<i>Crocانthemum</i>	Frostweed, Rush-Rose	w	1
Boraginaceae	<i>Cryptantha</i>	cryptantha	h	1
Orchidaceae	<i>Cypripedium</i>	lady's slipper	h	1
Asteraceae	<i>Deinandra</i>	tarweed	h	1
Fumariaceae	<i>Dicentra</i>	bleeding heart	h	1
Poaceae	<i>Dichantheium</i>	deertongue witchgrass, panicgrass, rosette grass	h	1
Poaceae	<i>Diplachne</i>	Beetle Grass	h	1
Dryopteridaceae	<i>Dryopteris</i>	wood ferns	h	1
Alismataceae	<i>Echinodorus</i>	burrhead	h	1
Hydrophyllaceae	<i>Emmenanthe</i>	whisperingbells	h	1
Polemoniaceae	<i>Eriastrum</i>	woollystar	h	1
Cyperaceae	<i>Eriophorum</i>	cottongrass	h	1
Oleaceae	<i>Forestiera</i>	swampprivet	w	1
Asteraceae	<i>Gamochoeta</i>	everlasting	h	1
Boraginaceae	<i>Greeneocharis</i>	Annual Cat's-Eye	h	1
Asteraceae	<i>Helianthella</i>	helianthella	h	1
Malvaceae	<i>Iliamna</i>	wild hollyhock	h	1
Poaceae	<i>Imperata</i>	cogongrass	h	1
Asteraceae	<i>Iva</i>	marshelder	h	1
Asteraceae	<i>Lagophylla</i>	hareleaf	h	1
Asteraceae	<i>Lasthenia</i>	goldfields	h	1
Asteraceae	<i>Layia</i>	tidytips	h	1
Lemnaceae	<i>Lemna</i>	duckweed	h	1
Asteraceae	<i>Lepidospartum</i>	broomsage	w	1
Asteraceae	<i>Matricaria</i>	mayweed	h	1
Poaceae	<i>Melica</i>	melicgrass	h	1
Asteraceae	<i>Microseris</i>	silverpuffs	h	1
Montiaceae	<i>Montia</i>	minerslettuce	h	1
Haloragaceae	<i>Myriophyllum</i>	watermilfoil	h	1
Urticaceae	<i>Parietaria</i>	pellitory	h	1
Celastraceae	<i>Paxistima</i>	paxistima	h	1
Pteridaceae	<i>Pellaea</i>	cliffbrake	h	1
Apiaceae	<i>Perideridia</i>	yampah	h	1
Boraginaceae	<i>Pholisma</i>	sandfood	h	1
Poaceae	<i>Phragmites</i>	common reed	h	1
Boraginaceae	<i>Plagiobothrys</i>	popcornflower	h	1
Papaveraceae	<i>Platystemon</i>	creamcups	h	1
Polemoniaceae	<i>Polemonium</i>	Jacob's-ladder, Greek valerian	h	1
Polygonaceae	<i>Polypodium</i>	polypody	h	1
Potamogetonaceae	<i>Potamogeton</i>	pondweed	h	1
Liliaceae	<i>Prosartes</i>	fairy bells, mandarin	h	1
Cyperaceae	<i>Rhynchospora</i>	beaksedge	h	1
Papaveraceae	<i>Romneya</i>	Matilija poppy	w	1
Alismataceae	<i>Sagittaria</i>	arrowhead	h	1
Amaranthaceae	<i>Salicornia</i>	pickleweed	h	1
Primulaceae	<i>Samolus</i>	brookweed	h	1

SF Bay Area native plants and the number of butterflies & moths that will lay eggs on them

Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, & Sonoma Counties

Family as listed by Bonap	genera	common name	herbaceous or woody	Butterflies & moths
Amaranthaceae	<i>Sarcocornia</i>	swampfire	h	1
Apiaceae	<i>Sium</i>	water parsnip	h	1
Caryophyllaceae	<i>Spergularia</i>	sandspurry	h	1
Apiaceae	<i>Spermolepis</i>	scaleshed	h	1
Apiaceae	<i>Sphenosciadium</i>	woollyhead parsnip	h	1
Orchidaceae	<i>Spiranthes</i>	lady's tresses	h	1
Lemnaceae	<i>Spirodela</i>	duckmeat	h	1
Asteraceae	<i>Tanacetum</i>	tansy	h	1
Saxifragaceae	<i>Tellima</i>	bigflower tellima	h	1
Saxifragaceae	<i>Tiarella</i>	foamflower	h	1
Amaranthaceae	<i>Tidestromia</i>	honeysweet	h	1
Saxifragaceae	<i>Tolmiea</i>	youth on age	h	1
Trilliaceae	<i>Trillium</i>	toadshade, trillium, wakerobin	h	1
Apiaceae	<i>Yabea</i>	false carrot	h	1
Gentianaceae	<i>Zeltnera</i>	Mountain-Pink	h	1
Rosaceae	<i>Acaena</i>	acaena	h	0
Lamiaceae	<i>Acanthomintha</i>	thorn-mint	h	0
Poaceae	<i>Achnatherum</i>	needlegrass	h	0
Asteraceae	<i>Achyrachaena</i>	blow wives	h	0
Ranunculaceae	<i>Actaea</i>	baneberry, bugbane	h	0
Asteraceae	<i>Adenocaulon</i>	trailplant	h	0
Rosaceae	<i>Agrimonia</i>	agrimony, churchsteeples	h	0
Alismataceae	<i>Alisma</i>	water plantain	h	0
Amaranthaceae	<i>Allenrolfea</i>	iodinebush	w	0
Polemoniaceae	<i>Allophyllum</i>	false gilyflower	h	0
Monotropaceae	<i>Allotropa</i>	sugarstick	h	0
Lythraceae	<i>Ammannia</i>	redstem	h	0
Asteraceae	<i>Ancistrocarphus</i>	neststraw	h	0
Saururaceae	<i>Anemopsis</i>	yerba mansa	h	0
Asteraceae	<i>Anisocarpus</i>	leafy raillardropsis	h	0
Asteraceae	<i>Anisocoma</i>	scalebud	h	0
Apiaceae	<i>Apiastrum</i>	mock parsley	h	0
Poaceae	<i>Aristida</i>	threeawn	h	0
Amaranthaceae	<i>Arthrocnemum</i>	Parish's glasswort	h	0
Aristolochiaceae	<i>Asarum</i>	wildginger	h	0
Pteridaceae	<i>Aspidotis</i>	lacefern, Indian's dream	h	0
Campanulaceae	<i>Asyneuma</i>	harebell	h	0
Salviniaceae	<i>Azolla</i>	mosquitofern	h	0
Poaceae	<i>Beckmannia</i>	sloughgrass	h	0
Elatinaceae	<i>Bergia</i>	Texas bergia	h	0
Polygonaceae	<i>Bistorta</i>	meadow bistort	h	0
Asteraceae	<i>Blennosperma</i>	stickyseed	h	0
Asteraceae	<i>Blepharizonia</i>	big tarweed	h	0
Amaranthaceae	<i>Blitum</i>	urn orchid	h	0
Ophioglossaceae	<i>Botrychium</i>	grapefern	h	0
Saxifragaceae	<i>Boykinia</i>	brookfoam	h	0
Liliaceae	<i>Brodiaea</i>	brodiaea	h	0
Montiaceae	<i>Calandrinia</i>	redmaids	h	0
Solanaceae	<i>Calibrachoa</i>	calibrachoa, seaside petunia	h	0
Geraniaceae	<i>California</i>	California stork's-bill	h	0
Plantaginaceae	<i>Callitriche</i>	water-starwort	h	0
Ranunculaceae	<i>Caltha</i>	marsh marigold	h	0
Asteraceae	<i>Calycadenia</i>	western rosinweed	h	0
Orchidaceae	<i>Calypso</i>	fairy slipper	h	0
Montiaceae	<i>Calyptridium</i>	Mock Pussypaws	h	0
Liliaceae	<i>Camassia</i>	camas	h	0

SF Bay Area native plants and the number of butterflies & moths that will lay eggs on them

Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, & Sonoma Counties

Family as listed by Bonap	genera	common name	herbaceous or woody	Butterflies & moths
Caryophyllaceae	<i>Cardionema</i>	sandcarpet	h	0
Asteraceae	<i>Centromadia</i>	tarweed	h	0
Orchidaceae	<i>Cephalanthera</i>	phantom orchid	h	0
Ceratophyllaceae	<i>Ceratophyllum</i>	hornwort	h	0
Orobanchaceae	<i>Chloropyron</i>	Salt-Bird's-Beak	h	0
Gentianaceae	<i>Cicendia</i>	Oregon timwort	h	0
Onagraceae	<i>Circaea</i>	enchanter's nightshade	h	0
Liliaceae	<i>Clintonia</i>	bluebead	h	0
Polemoniaceae	<i>Collomia</i>	trumpet	h	0
Orchidaceae	<i>Corallorhiza</i>	coralroot	h	0
Convolvulaceae	<i>Cressa</i>	alkaliweed	h	0
Asteraceae	<i>Crocidium</i>	common spring-gold	h	0
Pteridaceae	<i>Cryptogramma</i>	rockbrake	h	0
Apocynaceae	<i>Cycladenia</i>	waxydogbane	h	0
Dryopteridaceae	<i>Cystopteris</i>	bladderfern	h	0
Alismataceae	<i>Damasonium</i>	California damsonium	h	0
Datisaceae	<i>Datisca</i>	Durango root	h	0
Liliaceae	<i>Dichelostemma</i>	snakelily	h	0
Convolvulaceae	<i>Dichondra</i>	ponysfoot	h	0
Phrymaceae	<i>Diplacus</i>	bush monkeyflower	w	0
Campanulaceae	<i>Downingia</i>	calicoflower	h	0
Droseraceae	<i>Drosera</i>	sundew	h	0
Rosaceae	<i>Drymocallis</i>	Woodbeauty	h	0
Asteraceae	<i>Eastwoodia</i>	yellow aster	w	0
Asteraceae	<i>Eclipta</i>	eclipta, false daisy	h	0
Fumariaceae	<i>Ehrendorferia</i>	golden eardrops	h	0
Elatinaceae	<i>Elatine</i>	waterwort	h	0
Hydrocharitaceae	<i>Elodea</i>	waterweed	h	0
Ranunculaceae	<i>Enemion</i>	False rue anemone	h	0
Orchidaceae	<i>Epipactis</i>	helleborine, marsh orchid	h	0
Equisetaceae	<i>Equisetum</i>	horsetail	h	0
Caryophyllaceae	<i>Eremogone</i>	Clifton's eremogone	h	0
Onagraceae	<i>Eremothera</i>	Moocup	h	0
Liliaceae	<i>Erythronium</i>	fawnlily, dogtooth violet	h	0
Hydrophyllaceae	<i>Eucrypta</i>	hideseed	h	0
Amaranthaceae	<i>Extriplex</i>	Mock Saltbush	h	0
Poaceae	<i>*Elyhordeum</i>	barley	h	0
Cyperaceae	<i>Fimbristylis</i>	fimbry	h	0
Limnanthaceae	<i>Floerkea</i>	floerkea, false mermaidweed	h	0
Liliaceae	<i>Fritillaria</i>	fritillary	h	0
Garryaceae	<i>Garrya</i>	silktassel	w	0
Campanulaceae	<i>Githopsis</i>	bluecup	h	0
Orchidaceae	<i>Goodyera</i>	rattlesnake	h	0
Plantaginaceae	<i>Gratiola</i>	hedgelyssop	h	0
Asteraceae	<i>Harmonia</i>	madia	h	0
Liliaceae	<i>Hastingsia</i>	rushlily	h	0
Monotropaceae	<i>Hemitomes</i>	coneplant	h	0
Asteraceae	<i>Hemizonella</i>	opposite-leaved tarweed	h	0
Asteraceae	<i>Hesperevax</i>	dwarf-cudweed	h	0
Hydrophyllaceae	<i>Hesperochiron</i>	California hesperochiron	h	0
Urticaceae	<i>Hesperocnide</i>	stingingnettle	h	0
Cupressaceae	<i>Hesperocyparis</i>	cypress	w	0
Linaceae	<i>Hesperolinon</i>	dwarf-flax	h	0
Papaveraceae	<i>Hesperomecon</i>	Queen-Poppy	h	0
Campanulaceae	<i>Heterocodon</i>	rareflower heterocodon	h	0
Plantaginaceae	<i>Hippuris</i>	mare's-tail	h	0

SF Bay Area native plants and the number of butterflies & moths that will lay eggs on them

Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, & Sonoma Counties

Family as listed by Bonap	genera	common name	herbaceous or woody	Butterflies & moths
Asteraceae	<i>Holocarpha</i>	tarweed	h	0
Asteraceae	<i>Holozonia</i>	whitewort	h	0
Brassicaceae	<i>Hornungia</i>	prostrate hutchinsia	h	0
Fabaceae	<i>Hosackia</i>	Deer-Vetch	h	0
Asteraceae	<i>Hulsea</i>	alpinegold	h	0
Araliaceae	<i>Hydrocotyle</i>	marshpennywort	h	0
Ericaceae	<i>Hypopitys</i>	False Beech-Drops, Yellow Bird's-Nest	h	0
Brassicaceae	<i>Idahoa</i>	oldstem idahoa	h	0
Isoetaceae	<i>Isoetes</i>	quillwort	h	0
Cyperaceae	<i>Isolepis</i>	bulrush	h	0
Aristolochiaceae	<i>Isotrema</i>	woolly Dutchman's pipe, birthworts, pipevines	w	0
Rosaceae	<i>Ivesia</i>	mousetail	h	0
Asteraceae	<i>Jaumea</i>	marsh jaumea	h	0
Boraginaceae	<i>Johnstonella</i>	Narrow-Wing Cat's-Eye	w	0
Rubiaceae	<i>Kelloggia</i>	kelloggia	h	0
Orobanchaceae	<i>Kopsiopsis</i>	kopsiopsis	h	0
Asteraceae	<i>Laennecia</i>	horseweed	h	0
Polygonaceae	<i>Lastarriaea</i>	leather spineflower	h	0
Poaceae	<i>Leersia</i>	southern cutgrass, cutgrass	h	0
Campanulaceae	<i>Legenere</i>	false Venus' looking glass	h	0
Polemoniaceae	<i>Leptosiphon</i>	linanthus, babystars	h	0
Montiaceae	<i>Lewisia</i>	lewisia	h	0
Apiaceae	<i>Lilaeopsis</i>	grasswort	h	0
Limnanthaceae	<i>Limnanthes</i>	meadowfoam	h	0
Plantaginaceae	<i>Limosella</i>	mudwort	h	0
Linderniaceae	<i>Lindernia</i>	false pimpernel	h	0
Cyperaceae	<i>Lipocarpa</i>	halfchaff sedge	h	0
Caryophyllaceae	<i>Loeflingia</i>	spreading pygmyleaf	h	0
Asteraceae	<i>Logfia</i>	cottonrose	h	0
Asteraceae	<i>Luina</i>	silverback	h	0
Juncaceae	<i>Luzula</i>	woodrush	h	0
Lycopodiaceae	<i>Lycopodium</i>	clubmoss	h	0
Lamiaceae	<i>Lycopus</i>	bugleweed, waterhorehound, gypsywort	h	0
Araceae	<i>Lysichiton</i>	skunkcabbage	h	0
Primulaceae	<i>Lysimachia</i>	yellow loosestrife, fringed loosestrife	h	0
Marsileaceae	<i>Marsilea</i>	waterclover	h	0
Papaveraceae	<i>Meconella</i>	fairypoppy	h	0
Menyanthaceae	<i>Menyanthes</i>	buckbean	h	0
Saxifragaceae	<i>Micranthes</i>	Pseudosaxifrage	h	0
Asteraceae	<i>Micropus</i>	cottonseed, q-tips	h	0
Polemoniaceae	<i>Microsteris</i>	slender phlox	h	0
Phrymaceae	<i>Mimetanthe</i>	false monkeyflower	h	0
Caryophyllaceae	<i>Minuartia</i>	stitchwort	h	0
Caryophyllaceae	<i>Moehringia</i>	sandwort	h	0
Amaranthaceae	<i>Monolepis</i>	povertyweed	h	0
Asteraceae	<i>Monolopia</i>	monolopia	h	0
Liliaceae	<i>Muilla</i>	muilla	h	0
Ranunculaceae	<i>Myosurus</i>	mousetail	h	0
Pteridaceae	<i>Myriopteris</i>	Lip Fern	h	0
Najadaceae	<i>Najas</i>	waternymph	h	0
Hydrophyllaceae	<i>Nama</i>	fiddleleaf	h	0
Poaceae	<i>Nassella</i>	needlegrass	h	0
Polemoniaceae	<i>Navarretia</i>	pincushionplant	h	0
Campanulaceae	<i>Nemacladus</i>	threadplant	h	0
Plantaginaceae	<i>Neogaerrhinum</i>	snapdragon	h	0
Poaceae	<i>Neostapfia</i>	Colusagrass	h	0

SF Bay Area native plants and the number of butterflies & moths that will lay eggs on them

Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, & Sonoma Counties

Family as listed by Bonap	genera	common name	herbaceous or woody	Butterflies & moths
Orchidaceae	<i>Neottia</i>	Twayblade	h	0
Amaranthaceae	<i>Nitrophila</i>	niterwort	h	0
Brassicaceae	<i>Noccaea</i>	pennycress	h	0
Nymphaeaceae	<i>Nuphar</i>	pond lily	h	0
Liliaceae	<i>Odontostomum</i>	Hartweg's doll's-lily	h	0
Ophioglossaceae	<i>Ophioglossum</i>	adderstongue	h	0
Poaceae	<i>Orcuttia</i>	Orcutt grass	h	0
Amaranthaceae	<i>Oxybasis</i>	Eurasian Goosefoot	h	0
Asteraceae	<i>Packera</i>	ragwort	h	0
Paeoniaceae	<i>Paeonia</i>	peony	h	0
Parnassiaceae	<i>Parnassia</i>	grass of Parnassus	h	0
Poaceae	<i>Pascopyrum</i>	wheatgrass	h	0
Saxifragaceae	<i>Pectiantia</i>	miterwort	h	0
Boraginaceae	<i>Pectocarya</i>	combseed	h	0
Asteraceae	<i>Pentachaeta</i>	pygmydaisy	h	0
Pteridaceae	<i>Pentagramma</i>	goldback fern	h	0
Zosteraceae	<i>Phyllospadix</i>	surfgrass	h	0
Fabaceae	<i>Pickeringia</i>	chaparral pea	w	0
Marsileaceae	<i>Pilularia</i>	American pillwort	h	0
Orchidaceae	<i>Piperia</i>	rein orchid	h	0
Monotropaceae	<i>Pityopus</i>	California pinefoot	h	0
Orchidaceae	<i>Platanthera</i>	fringed orchid	h	0
Monotropaceae	<i>Pleuricospora</i>	fringed pinesap	h	0
Poaceae	<i>Pleuropogon</i>	semaphoregrass	h	0
Poaceae	<i>Podagrostis</i>	False Bent	h	0
Lamiaceae	<i>Pogogyne</i>	mesamint	h	0
Caryophyllaceae	<i>Polycarpon</i>	manysed	h	0
Poaceae	<i>Polypogon</i>	rabbitfoot grass	h	0
Lamiaceae	<i>Prunella</i>	selfheal	h	0
Poaceae	<i>Pseudoroegneria</i>	bluebunch wheatgrass	h	0
Caryophyllaceae	<i>Pseudostellaria</i>	tuber starwort	h	0
Asteraceae	<i>Psilocarphus</i>	woollyheads	h	0
Monotropaceae	<i>Pterospora</i>	woodland pinedrops, pinedrops	h	0
Polygonaceae	<i>Pterostegia</i>	woodland pterostegia	h	0
Poaceae	<i>Puccinellia</i>	alkaligrass	h	0
Ericaceae	<i>Pyrola</i>	wintergreen	h	0
Asteraceae	<i>Pyrrocoma</i>	goldenweed	h	0
Polygalaceae	<i>Rhinotropis</i>	Desert-Milkwort	h	0
Asteraceae	<i>Rigiopappus</i>	wireweed	h	0
Hydrophyllaceae	<i>Romanzoffia</i>	mistmaiden	h	0
Lythraceae	<i>Rotala</i>	rotala	h	0
Ruppiaceae	<i>Ruppia</i>	widgeonweed	h	0
Caryophyllaceae	<i>Sagina</i>	pearlwort	h	0
Plantaginaceae	<i>Sairocarpus</i>	snapdragon	h	0
Polemoniaceae	<i>Saltugilia</i>	gilia	h	0
Ophioglossaceae	<i>Sceptridium</i>	island grapefern	h	0
Liliaceae	<i>Scoliopus</i>	fetid adderstongue	h	0
Poaceae	<i>Scribneria</i>	Scribner's grass	h	0
Crassulaceae	<i>Sedella</i>	mock stonecrop	h	0
Selaginellaceae	<i>Selaginella</i>	spikemoss	h	0
Iridaceae	<i>Sisyrinchium</i>	blue-eyed grass	h	0
Asteraceae	<i>Stebbinsoseris</i>	Mock Silverpuffs	h	0
Liliaceae	<i>Streptopus</i>	twistedstalk	h	0
Potamogetonaceae	<i>Stuckenia</i>	pondweed	h	0
Amaranthaceae	<i>Stutzia</i>	Stutz's-Saltbush	h	0
Asteraceae	<i>Stylocline</i>	neststraw	h	0

SF Bay Area native plants and the number of butterflies & moths that will lay eggs on them

Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, & Sonoma Counties

Family as listed by Bonap	genera	common name	herbaceous or woody	Butterflies & moths
Styracaceae	<i>Styrax</i>	snowbell	h	0
Plantaginaceae	<i>Synthyris</i>	kittentails	h	0
Onagraceae	<i>Taraxia</i>	Goldeneggs	h	0
Onagraceae	<i>Tetrapteron</i>	Lemoncup	h	0
Plantaginaceae	<i>Tonella</i>	tonella, lesser baby innocence	h	0
Taxaceae	<i>Torreya</i>	California nutmeg, Florida nutmeg, Japanese torreya	w	0
Poaceae	<i>Torreyochloa</i>	False mannagrass	h	0
Melanthiaceae	<i>Toxicoscordion</i>	deathcamas	h	0
Asteraceae	<i>Tracyina</i>	Indian headdress	h	0
Liliaceae	<i>Triantha</i>	sticky tofieldia, false asphodel	h	0
Asteraceae	<i>Trichocoronis</i>	bugheal	h	0
Juncaginaceae	<i>Triglochin</i>	arrowgrass	h	0
Campanulaceae	<i>Triodanis</i>	Venus' looking-glass	h	0
Orobanchaceae	<i>Triphysaria</i>	owl's-clover, johnny-tuck	h	0
Poaceae	<i>Trisetum</i>	oatgrass	h	0
Liliaceae	<i>Triteleia</i>	triteleia	h	0
Brassicaceae	<i>Tropidocarpum</i>	tropidocarpum, dobie pod	h	0
Poaceae	<i>Tuctoria</i>	spiralgrass	h	0
Asteraceae	<i>Uropappus</i>	Lindley's silverpuffs	h	0
Lentibulariaceae	<i>Utricularia</i>	bladderwort	h	0
Berberidaceae	<i>Vancouveria</i>	insideout flower	h	0
Hydrangeaceae	<i>Whipplea</i>	common whipplea	w	0
Capparaceae	<i>Wislizenia</i>	spectacle fruit	h	0
Lemnaceae	<i>Wolffiella</i>	bogmat	h	0
Blechnaceae	<i>Woodwardia</i>	chainfern	h	0
Liliaceae	<i>Xerophyllum</i>	turkeybeard	h	0
Brassicaceae	<i>Yosemitea</i>	Yosemite-Rockcress	h	0
Potamogetonaceae	<i>Zannichellia</i>	horned pondweed	h	0
Zosteraceae	<i>Zostera</i>	eelgrass, seawrack	h	0